

Firestone

WIDE OVAL INDY 500

Ultra High Performance



UTQG 320 A A

FOCUS

- Wet/Dry Traction.
- Smooth Wear.
- Competitive.



Tire Size	Code #	Rim Range	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
195/55R15 STD 85W	136-757	5.5-7.0	6.0	23.4	7.9	10.7	.9	889	.20	\$
205/55R15 STD 88W	136-774	5.5-7.5	6.5	23.9	8.4	10.9	.9	872	.21	
205/55R16 STD 91W	136-842	5.5-7.5	6.5	24.9	8.4	11.4	.9	837	.25	
215/55R16 STD 93W	136-876	6.0-7.5	7.0	25.3	8.9	11.6	.9	824	.27	
225/55R16 STD 95W	136-893	6.0-8.0	7.0	25.8	9.2	11.7	.9	809	.24	
205/50R16 STD 87W	136-910	5.5-7.5	6.5	24.1	8.4	11.1	.9	865	.21	
225/50R16 STD 92W	136-927	6.0-8.0	7.0	24.9	9.2	11.4	.9	837	.24	
245/50R16 STD 97W	136-944	7.0-8.5	7.5	25.7	10.0	11.7	.10	812	.26	
205/45R16 STD 83W	136-961	6.5-7.5	7.0	23.2	8.1	10.8	.9	897	.23	
225/55R17 STD 97W	136-978	6.0-8.0	7.0	26.8	9.2	12.2	.9	778	.26	
235/55R17 STD 99W	136-995	6.5-8.5	7.5	27.2	9.7	12.4	.10	767	.27	
205/50R17 XL 93W	137-012	5.5-7.5	6.5	25.1	8.4	11.6	.9	829	.26	
215/50R17 XL 95W	137-029	6.0-7.5	7.0	25.5	8.9	11.8	.9	817	.24	
225/50R17 STD 94W	137-046	6.0-8.0	7.0	25.9	9.2	11.9	.9	804	.24	
215/45R17 XL 91W	137-063	7.0-8.0	7.0	24.7	8.4	11.4	.9	845	.22	
225/45R17 XL 94W	137-080	7.0-8.5	7.5	25.0	8.9	11.6	.9	835	.27	
235/45R17 XL 97W	137-097	7.5-9.0	8.0	25.4	9.3	11.7	.10	822	.24	
245/45R17 STD 95W	137-114	7.5-9.0	8.0	25.7	9.6	11.8	.10	812	.28	
245/45R17 STD 95W	137-131	8.0-9.5	8.5	26.1	10.0	12.0	.10	799	.26	
205/40R17 XL 84W	137-148	7.0-8.0	7.5	23.5	8.4	11.0	.9	888	.20	
245/40R17 STD 91W	137-182	8.0-9.5	8.5	24.7	9.8	11.5	.10	843	.27	
275/40R17 STD 98W	137-216	9.0-11.0	9.5	25.7	10.9	11.8	.10	812	.28	
235/50R18 STD 97W	137-250	6.5-8.5	7.5	27.3	9.7	12.6	.10	764	.27	
225/45R18 STD 91W	137-267	7.0-8.5	7.5	25.9	8.9	12.0	.9	803	.24	
245/45R18 XL 100W	137-284	7.5-9.0	8.0	26.7	9.6	12.3	.10	782	.27	
255/45R18 STD 99W	137-301	8.0-9.5	8.5	27.1	10.0	12.5	.10	770	.27	
225/40R18 XL 92W	137-335	7.5-9.0	8.0	25.1	9.1	11.7	.9	831	.22	
235/40R18 XL 95W	137-352	8.0-9.5	8.5	25.4	9.5	11.8	.10	820	.25	
245/40R18 XL 97W	137-369	8.0-9.5	8.5	25.7	9.8	12.0	.10	810	.23	
275/40R18 STD 99W	137-386	9.0-11.0	9.5	26.7	10.9	12.3	.10	782	.30	
275/35R18 STD 95W	137-420	9.0-11.0	9.5	25.6	10.9	11.9	.10	815	.37	
245/50R19 STD 101W	137-437	7.0-8.5	7.5	28.7	10.0	13.2	.10	726	.30	
235/35R19 XL 91W	137-471	8.0-9.5	8.5	25.5	9.5	12.0	.10	818	.25	
245/35R19 XL 93W	137-488	8.0-9.5	8.5	25.8	9.8	12.1	.10	808	.37	
285/35R19 STD 99W	137-505	9.5-11.0	10.0	26.9	11.4	12.5	.10	775	.31	
245/45R20 STD 99W	137-522	7.5-9.0	8.0	28.7	9.6	13.3	.10	727	.30	
255/45R20 STD 99W	137-556	8.0-9.5	8.5	29.1	10.0	13.5	.10	717	.35	
245/40R20 XL 99W	137-573	8.0-9.5	8.5	27.7	9.8	13.0	.10	751	.24	
255/35R20 XL 97W	137-590	8.5-10.0	9.0	27.0	10.2	12.7	.10	771	.35	
275/35R20 XL 102W	137-607	9.0-11.0	9.5	27.6	10.9	12.9	.10	756	.39	

PRECISION SPORT

Ultra High Performance



UTQG 400 AA

**30-DAY BUY & TRY
40,000 MILE WARRANTY**

- All Season.
- Value line - Priced against General Altimax and Yokohama Avid H45.
- Non Directional.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
185/60R14 STD 82H	137-913	5.0-6.5	5.5	22.8	7.4	7.4	10.4	.11	915	.19	\$
185/65R15 STD 88H	137-930	5.0-6.5	5.5	24.5	7.4	7.4	11.1	.11	852	.22	
195/65R15 STD 91H	137-947	5.5-7.0	6.0	25.0	7.9	7.9	11.3	.11	833	.23	
205/65R15 STD 94H	137-964	5.5-7.5	6.0	25.5	8.2	8.2	11.5	.11	818	.24	
215/65R15 STD 96H	137-981	6.0-7.5	6.5	26.0	8.7	8.7	11.7	.11	801	.26	
195/60R15 STD 88H	137-998	5.5-7.0	6.0	24.2	7.9	7.9	11.0	.11	860	.21	
205/60R15 STD 91H	138-015	5.5-7.5	6.0	24.7	8.2	8.2	11.2	.11	844	.24	
215/60R15 STD 94H	138-032	6.0-7.5	6.5	25.2	8.7	8.7	11.4	.11	828	.25	
205/60R16 STD 92H	138-049	5.5-7.5	6.0	25.7	8.2	8.2	11.7	.11	812	.27	
215/60R16 STD 95H	138-066	6.0-7.5	6.5	26.1	8.7	8.7	11.9	.11	797	.28	
225/60R16 STD 98H	138-083	6.0-8.0	6.5	26.6	9.0	9.0	12.1	.11	783	.28	
205/55R16 STD 91H	138-100	5.5-7.5	6.5	24.9	8.4	8.4	11.4	.11	837	.23	
215/55R16 STD 93H	138-117	6.0-7.5	7.0	25.3	8.9	8.9	11.6	.11	824	.25	
225/55R16 STD 95H	138-151	6.0-8.0	7.0	25.8	9.2	9.2	11.7	.11	809	.28	
205/50R16 STD 87H	138-168	5.5-7.5	6.5	24.1	8.4	8.4	11.1	.11	865	.22	
215/50R17 XL 95H	138-202	6.0-7.5	7.0	25.5	8.9	8.9	11.8	.11	817	.27	
235/45R17 STD 94H	138-219	7.5-9.0	8.0	25.4	9.3	9.3	11.7	.11	822	.25	

PRECISION TOURING

Ultra High Performance



UTQG 560 A B

30-DAY BUY & TRY
70,000 MILE WARRANTY

NON DIRECTIONAL
TREAD PATTERN

S, T, H RATED

- All Season-Silica Compound.
- Quiet Comfortable Ride.
- Long Wear.
- Low Rolling Resistance-improved fuel economy.

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P205/70R15 95T	140650	6.0-8.0	6.5	26.6	9.0	12.1	.11	783	.25	..\$
P215/70R15 97S	140684	5.5-7.0	6.0	24.4	7.9	11.2	.11	853	.25	
P195/65R15 89T	140599	5.5-7.0	6.0	25.0	7.9	11.3	.11	833	.20	
P205/65R15 92T	140633	5.5-7.5	6.0	25.5	8.2	11.5	.11	818	.22	
P195/60R15 87T	140582	5.5-7.0	6.0	24.2	7.9	11.0	.11	860	.20	
P205/60R15 90T	140616	6.0-7.5	7.0	25.3	8.9	11.6	.11	824	.25	
P215/60R15 93T	140667	6.0-8.0	6.5	28.5	9.0	12.9	.11	731	.28	
215/65R16 98T	140735	6.0-7.5	6.5	27.0	8.7	12.2	.11	771	.26	
P205/60R16 91H	140854	5.5-7.5	6.0	25.7	8.2	11.7	.11	812	.23	
P215/60R16 94T	140718	6.0-7.5	6.5	26.1	8.7	11.9	.11	797	.25	
P225/60R16 97T	140752	6.0-8.0	6.5	26.6	9.0	12.1	.11	783	.25	
195/55R16 87H	140939	6.0-7.5	7.0	26.3	8.9	12.1	.11	792	.22	
P205/55R16 89T	140701	5.5-7.5	6.5	24.9	8.4	11.4	.11	837	.21	
215/55R16 93H	140820	6.0-8.0	7.0	26.8	9.2	12.2	.11	778	.26	
P225/65R17 100T	140922	5.5-7.5	6.5	24.9	8.4	11.4	.11	837	.21	
P225/60R17 98H	140786	6.0-8.0	6.5	27.6	9.0	12.6	.11	754	.25	
235/60R17 102T	140905	6.5-8.5	7.0	28.1	9.5	12.8	.11	741	.30	
P215/55R17 93T	140888	6.5-8.5	7.5	27.2	9.7	12.4	.11	767	.29	
P225/55R17 95T	140769	6.0-8.0	7.0	26.8	9.2	12.2	.11	778	.26	
P235/55R17 98H	140803	6.5-8.5	7.5	27.2	9.7	12.4	.11	767	.29	



FIREHAWK GT

High Performance



UTQG 460 A A

(H, V) RATED

UTQG 400 AA A

(W) RATED

50,000 Mile Treadwear
Limited Warranty (H,V) Rated

40,000 Mile Treadwear
Limited Warranty (W) Rated

GOLD PLEDGE
LIMITED WARRANTY



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P195/60R14 85H	94954	5.5-7.0	6	23.2	7.9	6.9	10.8	.11	898	.23	..\$
P185/65R15 86H	76713	5.0-6.5	5.5	24.5	7.4	6.6	11.4	.11	853	.22	
P195/65R15 89H	76730	5.5-7.0	6	25	7.9	6.9	11.7	.11	834	.23	
P205/65R15 92H	76747	5.5-7.5	6	25.5	8.2	7.3	11.8	.11	815	.24	
P195/60R15 87H	76764	5.5-7.0	6	24.2	7.9	6.9	11.3	.11	861	.22	
P205/60R15 90H	76781	6.0-7.5	6	24.7	8.2	7.2	11.5	.11	844	.24	
P215/60R15 93H	76798	6.0-7.5	6.5	25.1	8.7	7.6	11.7	.11	829	.25	
215/65R16 98H	76900	6.0-7.5	6.5	27	8.7	7.6	12.6	.11	772	.27	
P205/60R16 91H	76866	5.5-7.5	6	25.7	8.2	7.2	12	.11	809	.26	
P205/60R16 91V	76934	5.5-7.5	6	25.7	8.2	7.2	12	.11	809	.26	
P215/60R16 94V	76985	6.0-7.5	6.5	26.1	8.7	7.6	12.2	.11	796	.27	
P225/60R16 97H	76815	6.0-8.0	6.5	26.6	9	8	12.4	.12	783	.29	
205/55R16 91H	76832	5.5-7.5	6.5	24.9	8.4	7.4	11.7	.11	838	.25	
205/55R16 91V	77002	5.5-7.5	6.5	24.9	8.4	7.4	11.7	.11	838	.25	
215/55R16 93H	76883	6.0-7.5	7	25.3	8.9	7.8	11.8	.11	820	.26	
225/55R16 95H	76849	6.0-8.0	7	25.8	9.2	8.2	12	.12	807	.28	
205/50R16 87V	76951	5.5-7.5	6.5	24.1	8.4	7.4	11.4	.11	865	.24	
225/50R16 92V	77019	6.0-8.0	7	24.9	9.2	8.2	11.7	.12	838	.27	
215/55R17 94V	77087	6.0-7.5	7	26.3	8.9	7.8	12.4	.11	792	.27	
225/55R17 97V	77104	6.0-8.0	7	26.8	9.2	8.2	12.6	.12	778	.29	
P235/55R17 98W	77427	6.5-8.5	7.5	27.2	9.5	8		.11	778	.29	
215/50R17 95W XL	77444	6.0-7.5	7	25.5	8.8	7.3		.11	809	.26	
225/50R17 94V	76968	6.0-8.0	7	25.9	9.2	8.2	12.2	.12	803	.28	
245/45R17 95W	77478	7.5-9.0	8	25.7	9.4	8.1		.11	798	.27	
P225/60R18 99H	76917	6.0-8.0	6.5	28.6	9	8	13.4	.12	727	.31	
225/50R18 95W	77223							.11	798	.27	
235/50R18 97W	77495	6.5-8.5	7.5	27.3	9.5	8		.11	809	.26	
245/45R18 100W XL	77512	7.5-9.0	8	26.7	9.4	8.1		.11	798	.27	
245/40R19 XL 98W	121389	8.0-9.5	8.5	26.7	9.6	8.1	12.5	.11	780	.32	
NEW 245/40R20 99W XL	100088		8.5	27.7	9.8			.11	778	.27	
245/45R20 99W	100054	7.5-9.0	8	28.7	9.6	8.1	13.4	.11	726	.32	
255/45R20 101W	109693	8.0-9.5	8.5	29.1	10	8.4	13.5	.11	716	.34	
245/35R20 95W XL	121372	8.0-9.5	8.5	26.8	9.8	0	12.6	.11	778	.27	

- Designed for high performance cars.
- Veri-pitch helps reduce noise.
- UNIT-T technology handles wet and dry roads.
- Wider construction improves cornering.
- Buy & Try 30 Day Guarantee.

FIREHAWK INDY 500

Performance



UTQG 500 A B

55,000 Mile Treadwear
Limited Warranty

GOLD PLEDGE
LIMITED WARRANTY

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
RAISED WHITE LETTER											
P215/70R14 96S	119520	5.5-7.0	6.5	25.9	8.7	7	11.6	.11	804	.24	..\$
P225/70R14 98S	118664	6.0-7.5	6.5	26.5	9	7.4	11.8	.12	786	.25	
P215/70R15 97S	119660	5.5-7.0	6.5	26.9	8.7	7	12.1	.11	774	.24	
P225/70R15 100S	119679	6.0-7.5	6.5	27.4	9	7.4	12.3	.12	760	.27	
P235/70R15 102S	118656	6.0-8.0	7	28	9.5	7.7	12.5	.12	744	.28	
P255/70R15 108S	118648	6.5-8.5	7.5	29.1	10.2	8.3	12.9	.12	716	.34	
P215/65R15 95S	118133	6.0-7.5	6.5	26	8.7	7	11.8	.11	801	.23	
P235/60R15 98S	119741	6.5-8.5	7	26.1	9.5	7.7	11.8	.11	798	.26	
P255/60R15 102S	119768	7.0-9.0	7.5	27.1	10.2	8.3	12.2	.12	769	.30	
P275/60R15 107S	118125	7.5-9.5	8	28	11	9	12.5	.12	744	.35	
P295/50R15 105S	36389	8.0-10.0	9.5	26.7	12.2	9.9	12	.12	780	.35	

- UNIT-T Technology for enhanced wet performance.
- All Season performance.
- 5-Rib design on sizes P225 and larger.
- Buy & Try 30 Day Guarantee.



FR710

Mass Market



UTQG 560 A B

65,000 Mile Treadwear Limited Warranty

GOLD PLEDGE LIMITED WARRANTY

- Unit-T technology.
- Quiet comfortable ride.
- Wide footprint for excellent traction.
- All-Season Performance.
- Buy & Try 30 Day Guarantee.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL											
P175/65R14 86T	85808	5.0-6.5	5.5	24.5	7.4	5.8	11.2	11	850	19	\$
P185/65R14 85T	85825	5.0-6.5	5.5	23.5	7.5	5.8	10.7	11	886	17	
P185/65R15 86T	85842	5.0-6.5	5.5	24.5	7.4	5.8	11.2	11	850	19	
P195/65R15 89T	85893	5.5-7.0	6	25	7.2	5.7	11.4	10	833	20	
P205/65R15 92T	85910	5.5-7.5	6	25.5	8.2	6.5	11.2	11	815	20	
P215/65R15 95T	85927	6.0-7.5	6.5	26	8.7	6.8	11.8	11	801	21	
P185/60R15 84T	70355	5.0-6.5	5.5	23.7	7.4	6	10.9	11	879	21	
P195/60R15 87H	124670	5.5-7.0	6	24.2	7.9	6.3	11.1	11	861	19	
P215/65R16 98T	48136	6.0-7.5	6.5	27	8.7	6.8	11.9	11	768	25	
P235/65R16	124687	6.5-8.5	7	28	9.5	0	12.6	12	743	27	
P205/60R16 91H	124653							11		29	
P215/60R16 94T	85961	6.0-7.5	6.5	26.1	8.7	6.9	11.7	11	801	23	
P225/60R16 97T	85859	6.0-8.0	6.5	26.8	9.2	7.4	12	11	778	25	
P235/60R16 99T	70372	6.5-8.5	7	27.1	9.5	7.6	12.3	11	769	28	
P205/55R16 89T	85876	5.5-7.5	6.5	25.9	9.2	7.8	12	11	804	23	
P205/50R16 86H	124738	5.5-7.5	6.5	24.1	8.7	6.8	11.1	11	864	26	
NEW P225/65R17 100T	138253										
P215/65R17 98T	70389	6.0-7.5	6.5	28	8.7	6.8	12.8	11	744	26	
P215/60R17	124721	6.0-7.5	6.5	27.2	8.7	0	12.4	11	767	28	
P225/60R17 98H	84856	6.0-8.0	7.5	29.1	10.2	7.3	12.3	11	714	27	
NEW P235/60R17 100T	79042										
P215/55R17 93S	66105	6.0-7.5	7	26.4	8.8	7	12.1	10	789	23	
P225/55R17 95T	84873	6.0-8.0	7	26.8	9.2	7.4	12	11	778	25	
P235/55R17 98H	84890	6.5-8.5	7.5	27.2	9.7	7.8	12.1	11	767	29	
P225/50R17 93T	124755	6.0-8.0	7	25.9	9.2	7.8	12	11	804	23	
WHITE STRIPE											
P205/70R15 95S	47150	5.0-7.0	6	26.3	8.2	6.3	11.6	11	788	22	
P215/70R15 97S	47167	5.5-7.0	6.5	26.9	8.7	6.6	11.8	11	772	23	

FIREHAWK GT PURSUIT

Police Pursuit



UTQG 340 AA A* UTQG 340 A**

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P235/55R17 98W*	77325	6.5-8.5	7	27.2	27.2	9.7	12.3	11	760	28	\$
P225/60R18 99V**	77342	6.0-8.0	6.5	28.6	9	8	12.1	11	784	27	

- All-Season tread design.
- Specifically constructed and compounded for Police Pursuit and High Speed Emergency Vehicle use.

FIREHAWK PV41

Police Pursuit



UTQG 340 A A* UTQG 340 A**

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P255/70R15 100V*	67938	6.0-7.5	6.5	27.4	9	7.5	12.3	11	760	28	\$
P225/60R16 97V**	67911	6.0-8.0	6.5	26.6	9	7.5	12.1	11	784	27	

- All-Season tread design.
- Specifically constructed and compounded for Police Pursuit and High Speed Emergency Vehicle use.

FIREHAWK PVS

Winter Police Pursuit



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P225/60R16 97V	98388	6.0-8.0	6.5	26.8	9.1	7.5	12.1	11	777	29	\$
P235/55R17 98V	77359	6.5-8.5	7	27.3	9.5	7.9	12.1	11	766	30	
P225/60R18 99V	77376	6.0-8.0	6.5	28.6	9	7.4	12.1	11	728	32	

- V-Speed rated construction.
- Specifically constructed and compounded for Police Pursuit and High Speed Emergency Vehicle use.
- Meets the severe snow service requirements of the Rubber Manufacturers Association.

DESTINATION ST

Light Truck



**40,000 Mile Warranty
LIMITED WARRANTY**

- All Season Sport Tire.
- Asymmetrical.



Tire Size	Code #	Rim Range	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACK WALL										
225/65R17 STD 102H	232-276	6.0-8.0	6.5	28.5	9.0	12.9	10	731	29	\$
235/65R17 XL 108H	232-293	6.5-8.5	7.0	29.1	9.5	13.1	10	717	33	
235/60R18 XL 107V	232-208	6.5-8.5	7.0	29.1	9.5	13.3	10	716	34	
245/60R18 STD 105H	232-225	7.0-8.5	7.0	29.6	9.8	13.4	10	704	34	
255/60R18 XL 112V	232-259	7.0-9.0	7.5	30.0	10.2	13.6	10	694	32	
235/55R18 STD 100V	232-191	6.5-8.5	7.5	28.2	9.7	12.9	10	740	30	
255/55R18 XL 109V	232-242	7.0-9.0	8.0	29.0	10.4	13.2	10	718	31	
P255/60R19 STD 108H	232-174	7.0-9.0	7.5	31.1	10.2	14.1	10	671	37	
255/55R19 XL 111H	232-157	7.0-9.0	8.0	30.0	10.4	13.7	10	693	38	
255/50R19 XL 107W	232-140	7.0-9.0	8.0	29.1	10.4	13.4	10	716	35	
P275/55R20 STD 111H	232-123	7.5-9.5	8.5	31.9	11.2	14.6	10	653	24	
255/50R20 XL 109V	232-055	7.0-9.0	8.0	30.1	10.4	13.9	10	693	37	
265/50R20 STD 107V	232-072	7.5-9.5	8.5	30.5	10.9	14.0	10	684	40	
275/45R20 XL 110H	232-106	8.5-10.5	9.0	29.8	10.8	13.7	10	700	40	
275/40R20 XL 106W	232-089	9.0-11.0	9.5	28.7	10.9	13.3	10	727	37	
275/45R22 XL 112V	232-021	8.5-10.5	9.0	31.8	10.8	14.7	10	656	42	
P285/45R22 STD 110H	133-782	9.0-11.0	9.5	32.1	11.2	14.9	11	649	44	
305/40R22 XL 114W	232-038	10.0-12.0	11.0	31.6	12.3	14.7	11	659	45	

DESTINATION LE

Light Truck



UTQG 480 A B

**GOLD PLEDGE 3 YEAR
LIMITED WARRANTY**

- Features UNIT-T Technology for outstanding wet performance and a smooth quiet ride.
- S,T,H and S speed rated; Mud and Snow rate.
- Buy & Try 30 Day Guarantee.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	Limited Mileage Warranty	PRICE
OUTLINE WHITE LETTER													
P225/70R14 98S	147543	6.0-7.5	6.5	26.5	9	6.7	11.8		12	786		60,000	\$
P215/75R15 100S	146914	5.5-7.0	6	27.7	8.5	6.4	12.4		12	752		60,000	
P225/75R15 102S	146931	6.0-7.5	6	28.3	8.8	6.7	12.6		12	736		60,000	
P235/75R15 105S	146965	6.0-8.0	6.5	28.9	9.3	7	12.8		12	721		60,000	
P265/75R15 112S	54341	7.0-9.0	7.5	30.6	10.7	7.9	13.5		13	679	39	60,000	
P225/70R15 100S	146948	6.0-7.5	6.5	27.4	9	6.7	12.3		12	760		60,000	
P235/70R15 102S	146982	6.0-8.0	7	28	9.5	7	12.5		12	744		60,000	
P255/70R15 108S	146829	6.5-8.5	7.5	29.1	10.2	7.6	12.9		13	716		60,000	
P235/75R16 XL 109S	54358	6.0-7.5	6.5	29.8	9.3	7	13		12	699	34	60,000	
P245/75R16 109S	147016	6.5-8.0	7	30.5	9.8	7.3	13.6		13	683		60,000	
P265/75R16 114S	147050	7.0-9.0	7.5	31.7	10.5	7.9	14		13	657		60,000	
P225/70R16 101S	147560	6.0-7.5	6.5	28.4	9	6.7	12.8		12	733		60,000	
P235/70R16 XL 107S	54375								12		35		
P245/70R16 106S	123838	6.5-8.0	7	29.5	9.8	7.3	13.2		13	706		60,000	
P255/70R16 109S	147033	6.5-8.5	7.5	30.1	10.2	7.6	13.4		13	692		60,000	
P265/70R16 111S	123846	7.0-9.0	8	30.6	10.7	7.9	13.6		13	681		60,000	
P255/65R16 106S	40877	7.0-9.0	7.5	29.1	10.2	7.6			13		34	60,000	
P235/70R17 XL 108S	97538	6.0-8.0	7	30	9.5	7	13.5		13	694	36	60,000	
P245/70R17 108S	87389	6.5-8.0	7	30.6	9.8	7.3	13.4		13	673	36	60,000	
P265/70R17 113S	147067	7.0-9.0	8	31.7	10.7	7.9	14.1		13	657		60,000	
P245/65R17 105S	40928	7.0-8.5	7	29.5	9.8	7.3			13		35	60,000	
P255/65R17 108S	83190	7.0-9.0	7.5	30.2	10.2	8	13.6		13	690	36	60,000	
P265/70R18 114S	66173	7.0-9.0	8	32.6	10.7	7.9	14.6		13	639	44	60,000	
P235/65R18 104T	108792	6.5-8.5	7	30	9.5	7	13.7		12	694	35	60,000	
P265/65R18 112S	90279	7.5-9.5	8	31.7	10.5	8.7	14.3		11	657	41	60,000	
P265/60R18 109T	54409	7.5-9.5	8	30.6	10.7	7.9	13.8		11	683	39	60,000	
P275/60R20 114S	108741	7.5-9.5	8	33	11	8.9	15		13	631	48	60,000	
31X10.50R15/6 LT 109R	158404	7.00-9.00	8.5	30.5	0	8.1	0	0	15	683	41		
LT235/75R15/6 104/101S	158438	6.00-7.00	6.5	28.9	0	7.2	0	10.8	14	721	37		
LT265/75R16/6 112/109S	158710	7.00-8.00	7.5	31.7	0	8.2	0	12.2	15	657	44		
BLACK WALL													
P215/70R15 97S	30439	5.5-7.0	6.5	26.9	8.7	6.4	12.1		10	774		60,000	
P225/75R16 XL 106S	40860	6.5-8.0	7	30.5	9.8	6.7			12		33	60,000	
P215/70R16 99S	83224	5.5-7.0	6.5	27.9	8.7	6.3	12.3		12	748	28	60,000	
P235/65R16 101S	65068								10		30		
225/65R17 102S	83173	6.0-8.0	6.5	28.4	8.9	6.9	12.9		13	733	31	60,000	
P235/65R17 103T	40911	6.5-8.5	7	29.1	9.8	7			13		33	60,000	
P265/65R17 110T	54392	7.5-9.5	8	30.6	10.7	7.9	13.8		11	681	37	60,000	
P235/60R17 100H	112379	6.5-8.5	7	28.3	9.3	7.8	12.9		11	736	28	60,000	
P275/60R17 110S	40945	7.5-9.5	8	30	11	8.2			13		37	60,000	
P265/65R18 112S	90177	7.5-9.5	8	31.7	10.5	8.7	14.3		11	657	41	60,000	
P245/60R18 104S	108248								11		33		
P275/55R20 111H	108775	7.5-9.5	8.5	31.9	11.2	9.2	14.6		11	653	44	60,000	
P265/50R20 106V	108809	7.5-9.5	8.5	30.5	10.9	9	14.1		11	683	39	60,000	

DESTINATION A/T

Light Truck



TQGT 460 A B

50,000 Mileage Warranty (P-Metric sizes only)

GOLD PLEDGE 3 YEAR LIMITED WARRANTY

- UNI-T Technology provides outstanding wet performance.
- All-Terrain Aggressive Tread Design with smooth quiet ride.
- Buy & Try 30 Day Guarantee.



Tire Size	Sidewall Styling	Code #	Measuring Approved Rims	Overall Rim Width	Overall Tire Diameter	Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	Tread RPM	Limited Tire Weight	Mileage Warranty	UTQG	PRICE
OUTLINE WHITE LETTER															
P225/70R14 98S	OWL	26682	6.0-7.5	6.5	26.5	9	6.9	11.7	-	13	788	25	50,000	460 A B	\$
P205/75R15 97S	OWL	26495	5.5-7.0	5.5	27.1	8	6.3	12	-	12	769	24	50,000	460 A B	
P215/75R15 100S	OWL	26512	5.5-7.0	6	27.7	8.5	6.6	12.3	-	13	753	27	50,000	460 A B	
P225/75R15 102S	OWL	26546	6.0-7.5	6	28.3	8.8	6.9	12.5	-	13	737	28	50,000	460 A B	
P235/75R15 105S	OWL	26563	6.0-8.0	6.5	28.9	9.3	7.2	12.7	-	13	723	30	50,000	460 A B	
P225/70R15 100S	OWL	26699	6.0-7.5	6.5	27.4	9	6.9	12.2	-	13	760	27	50,000	460 A B	
P235/70R15 102S	OWL	26716	6.0-8.0	7	28	9.5	7.2	12.4	-	13	745	29	50,000	460 A B	
P235/75R16 106S	OWL	027379	-	6.5	29.8	9.3	-	13.2	-	13	-	31	50,000	460 A B	
P245/75R16 109S	OWL	26614	6.5-8.0	7	30.5	9.8	7.5	13.4	-	13	684	36	50,000	460 A B	
P265/75R16 114S	OWL	26648	7.0-9.0	7.5	31.7	10.5	8.1	13.9	-	13	659	40	50,000	460 A B	
P235/70R16 104S	OWL	26767	6.0-8.0	7	29	9.5	7.2	12.9	-	13	720	31	50,000	460 A B	
P245/70R16 106S	OWL	27430	6.5-8.0	7	29.5	9.8	7.5	13.1	-	13	706	34	50,000	460 A B	
P255/70R16 109S	OWL	26869	6.5-8.5	7.5	30.1	10.2	7.8	13.3	-	13	693	35	50,000	460 A B	
P265/70R16 111S	OWL	27481	7.0-9.0	8	30.6	10.7	8.1	13.5	-	13	681	39	50,000	460 A B	
P235/75R17 108S	OWL	54239	-	-	-	-	-	-	-	-	-	37	50,000	460 A B	
P245/75R17 110S	OWL	77563	6.5-8.0	7	31.5	9.8	7.5	14.1	-	13	661	39	50,000	460 A B	
P235/75R16 106S	OWL	10860	6.0-8.0	6.5	29.8	9.3	7.2	13.2	-	13	699	31	50,000	460 A B	
P235/70R17 XL 108S	OWL	94869	-	-	-	-	-	-	-	13	-	36	-	-	
P245/70R17 108S	OWL	54273	6.5-8.0	7	30.6	9.8	7.5	13.7	-	13	681	37	50,000	460 A B	
P255/70R17 110S	OWL	54290	6.5-8.5	7.5	31.1	10.2	7.8	13.9	-	13	670	43	50,000	460 A B	
P265/70R17 113S	OWL	26784	7.0-9.0	8	31.7	10.7	8.1	14	-	13	659	39	50,000	460 A B	
P245/70R17 117T	OWL	66139	7.5-9.5	8.5	32.8	11.5	8.7	14.6	-	11	635	46	50,000	460 A B	
P235/65R17 103T	OWL	108826	6.5-8.5	7	29.1	9.5	7.2	13.2	-	10	716	31	50,000	460 A B	
P245/65R17 105S	OWL	40843	7.0-8.5	7	29.5	9.8	7.5	13.2	-	13	706	34	50,000	460 A B	
P255/65R17 108S	OWL	54307	7.0-9.0	7.5	30.1	10.2	7.8	13.4	-	13	690	37	50,000	460 A B	
P265/65R17 110T	OWL	66156	7.5-9.5	8	30.6	10.7	8.1	13.7	-	11	681	38	50,000	460 A B	
P255/70R18 112S	OWL	108843	6.5-8.5	7.5	32.1	10.2	7.8	14.5	-	13	649	41	50,000	460 A B	
P265/70R18 114S	OWL	77546	-	-	-	-	-	-	-	12	-	44	-	-	
P275/70R18 114T	OWL	54324	7.5-9.5	8	32.1	11	8.4	14.4	-	11	649	47	50,000	460 A B	
P265/60R18 109T	OWL	108877	7.5-9.5	8	30.5	10.7	8.3	13.9	-	11	683	38	50,000	460 A B	
P275/60R20 114S	OWL	108894	7.5-9.5	8	33	11	9.2	15	-	11	631	46	50,000	460 A B	
P275/55R20 111S	OWL	108911	7.5-9.5	8.5	31.9	11.2	9.3	14.6	-	11	653	44	50,000	460 A B	
DESTINATION A/T LT															
LT235/75R15/6 104/101R	OWL	184278	6.0-7.0	6.5	28.9	9.3	7.2	13.4	-	14	723	33	-	-	
LT245/75R16/6 108/104R	OWL	184295	6.5-7.5	7	30.5	9.8	7.5	14.1	-	14	684	37	-	-	
LT265/75R16/6 112/109R	OWL	184329	7.0-8.0	7.5	31.7	10.5	8.1	14.7	-	14	659	42	-	-	
LT285/75R16 126/123R	OWL	223640	-	-	-	-	-	-	-	15	-	53	-	-	
LT265/70R16 117/114R	OWL	211512	-	-	-	-	-	-	-	14	-	46	-	-	
LT305/70R16/10 124/121R	OWL	184431	8.0-9.5	9	32.8	12.2	9.3	15.2	-	16	635	54	-	-	
LT265/70R17 112/109R	OWL	192285	-	-	-	-	-	-	-	13	-	44	-	-	
LT275/70R17/6 114/110R	OWL	192302	7.0-8.5	8	32.2	11	8.4	14.4	12.8	15	646	48	-	-	
LT285/70R17/8 121/118R	OWL	192319	7.5-9.0	8.5	32.8	11.5	8.7	14.6	13.4	11	635	52	-	-	
NEW LT285/70R17/10 121/118R	OWL	232803	-	-	-	-	-	-	-	-	-	-	-	-	
NEW LT315/70R17/8 121/118R	OWL	191537	8.5-10.0	10	34.5	12.7	9.8	15.9	-	17	604	57	-	-	
NEW LT315/70R17/10 121/118R	OWL	232820	-	-	-	-	-	-	-	-	-	-	-	-	
LT275/65R18/6 113/110S	OWL	192336	7.5-9.0	8	32.1	11	8.6	15	12.8	16	649	40	50,000	460 A B	
30X9.50R15/6 LT 104R	OWL	184380	6.5-8.5	7.5	29.5	9.7	7.3	13.7	-	15	706	36	-	-	
31X10.50R15/6 LT 109R	OWL	184397	7.0-9.0	8.5	30.5	10.7	8.1	14.1	-	15	683	41	-	-	
33X12.50R15/6 LT 108R	OWL	184414	8.5-11.0	10	32.5	12.7	9.6	14.9	-	17	641	52	-	-	
DESTINATION A/T BLACKWALL															
P235/75R15 XL 108S	BW	26580	6.0-8.0	6.5	28.9	9.3	7.2	12.7	-	13	723	30	50,000	460 A B	
P235/75R16 106S	BW	112192	6.0-8.0	6.5	30	9.1	7.2	13.4	-	13	694	34	50,000	460 A B	
LT325/65R18/10 127/124R	BW	192353	9.0-12.0	9.5	34.6	13	10.2	16.1	15.1	17	602	62	-	-	

DESTINATION M/T

Light Truck



GOLD PLEDGE LIMITED WARRANTY

- Designed with UNI-T The ultimate Tire Technology.
- Three full polyester body piles for strength and durability.
- Sidewall lug designed for pulling out of deep ruts.
- Features Rim Guard.
- 23degree Bar Angle for optimum traction and self-cleaning.
- Pinned for #15, #16, #17 studs, depending upon size.
- Buy & Try 30 Day Guarantee.

Tire Size	Code #	Measuring Approved Rims	Overall Rim Width	Overall Tire Diameter	Section Width	Tread Width	Static Load Radius	Tread Depth	Tread RPM	Tire Weight	PRICE
OUTLINE WHITE LETTER											
LT235/75R15 104/101Q 6PLY	155470	6.0-7.0	6.5	29.1	9.3	7.3	12.8	18	716	39	\$
LT265/75R16 126/120Q 10PLY	223589	7.0-8.0	7.5	31.9	10.5	8.2	14.8	19	653	54	
LT285/75R16 126/123Q 10PLY	223572	7.5-9.0	8	33.1	11.3	8.9	15.3	20	629	60	
NEW LT315/75R16 127/124Q 10PLY	232735	-	8	34.6	12.3	-	15.9	20	633	73	
LT305/70R16 124/121Q 10PLY	190262	8.0-9.5	9	32.9	12.5	9.5	14.2	19	633	49	
NEW LT 255/75R17 111/110Q 6PLY	224167	-	7	32.1	10	-	-	-	-	-	
LT245/70R17 119/116Q 10PLY	190279	6.5-8.0	7	30.8	9.7	7.6	13.7	20	681	50	
LT265/70R17 121/118Q 10PLY	190296	-	8	31.9	10.7	-	14.1	19	681	52	
LT285/70R17 121Q 10PLY	232752	-	8.5	32.8	11.5	-	15.2	22	61	61	
NEW LT275/70R18 125/122Q 10PLY	224184	-	7	33.2	11	-	15.5	20	57	57	
NEW 30X9.50R15 LT 104Q 6PLY	155594	6.5-8.5	7.5	30	9.5	7.5	13.2	20	695	44	
31X10.50R15 LT 109Q 6PLY	155608	7.0-9.0	8.5	31	10.5	8.3	13.7	20	672	49	
33X12.50R15 LT 108Q 6PLY	155616	8.5-11.0	10	33	12.5	9.9	14.6	22	632	60	
BLACK WALL											
LT215/85R16 115/112Q 10PLY	223606	5.5-7.0	6	30.6	8.5	6.4	14.2	18	681	43	
LT235/85R16 120/116Q 10PLY	155586	6.0-7.0	6.5	32	9.3	6.9	14.1	18	652	48	
LT225/75R16 115/112Q 10PLY	223623	6.0-7.0	6	29.5	8.8	7	13.7	18	706	44	
LT245/75R16 120/116Q 10PLY	155543	6.5-7.5	7	30.7	9.8	7.6	13.6	18	678	48	
LT285/65R18 125/122Q 10PLY	205171	8.0-10.0	10	32.8	11.5	8.9	15.3	20	635	60	
LT325/65R18 127/124Q 10PLY	205188	9.0-12.0	12	34.4	13	10.1	16.1	21	599	70	



TRANSFORCE HT

Light Truck



GOLD PLEDGE LIMITED WARRANTY



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	Tire RPM	Tire Weight	PRICE
BLACKWALL												
LT235/75R15 104/101R 6PLY	.189837	.6.0-7.0	6.5	28.9	9.3	7.1	13.5		15	723	.33	\$
LT215/85R16 115/112R 10PLY	.189701	.5.5-7.0	6	30.4	8.5	6.5	14.1		14	686	.35	
LT235/85R16 120/116R 10PLY	.189718	.6.0-7.5	6.5	31.7	9.3	7.1	14.7		14	657	.41	
LT225/75R16 115/112R 10PLY	.189752	.6.0-7.0	6	29.3	8.8	6.8	13.6		14	712	.35	
LT245/75R16 120/116R 10PLY	.189769	.6.5-8.0	6.5	30.5	9.8	7.4	14.1		14	684	.39	
LT265/75R16 123/120R 10PLY	.189786	.7.0-8.0	7.5	31.7	10.5	8	14.7		15	659	.44	
8.75R16.5 LT 115/111R 10PLY	.189803	.6.0-6.75	6.75	29.5	8.75	6.4	13.7		14	708	.34	
9.50R16.5 LT 121/117R 10PLY	.189820	.6.75-8.25	6.75	30.6	9.5	7.3	14.2		15	682	.38	
LT235/80R17 120/117R 10PLY	.191282	.6.0-7.5	6.5	31.8	9.3	7.1	14.8		15	656	.41	
LT225/75R17 116/113R 10PLY	.224133	.6.0-7.5	6	30.3	8.8	6.8	14.2	10.2	14	687		
LT245/70R17 119/116R 10PLY	.191316	.6.5-8.0	7	30.6	9.8	7.4	14.3		14	683	.38	
OUTLINE WHITE LETTER												
LT265/75R16 123/120R 10PLY	.207602	.7.0-8.0	7.5	31.7	10.5	8	14.7	12.2	15	659	.44	
LT245/75R17 121/118R 10PLY	.207483	.6.5-7.5	7	31.5	9.8	6.4		11.3	14		.42	
LT265/70R17 121/118R 10PLY	.200156	.7.0-8.5	8	31.7	10.7	8.6	14.1	12.4	14	657	.46	
LT275/70R18 125/122R 10PLY	.207500											
LT275/65R18 123/120S 10PLY	.207619	.7.5-9.0	8	32.1	11	8.3	14.9	12.8	16	651	.52	

- Features UNI-T Technology for Outstanding Wet Performance and a Smooth Quiet Ride.
- Modern All-Season Highway Tread Design.
- Polyester and Steel Light Truck Construction with Full Spiral-Wrap Nylon Cap Ply.
- Continuous shoulder ribs for reduced irregular wear and increased tread life.
- Mud and Snow rated.
- Buy & Try 30 Day Guarantee. (Commercial Service Excluded).

TRANSFORCE AT

Light Truck



GOLD PLEDGE LIMITED WARRANTY



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	Tire RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL													
LT235/75R15 104/101R 6PLY	.189650	.6.0-7.0	6.5	29.1	9.3	7.1	13.6	10.8	17	717	.33		\$
LT215/85R16 115/112R 10PLY	.189565	.5.5-7.0	6	30.6	8.5	6.5	14.2	9.9	16	681	.36		
LT235/85R16 120/116R 10PLY	.189633	.6.0-7.5	6.5	32	9.3	7.1	14.8	10.8	17	652	.41		
LT225/75R16 115/112R 10PLY	.189667	.6.0-7.0	6	29.5	8.8	6.8	13.8	10.2	16	706	.37		
LT245/75R16 120/116R 10PLY	.189582	.6.5-8.0	7	30.7	9.8	7.4	14.3	11.3	16	679	.40		
LT265/75R16 123/120R 10PLY	.189599	.7.0-8.0	7.5	31.9	10.5	8	14.8	12.2	15	654	.44		
LT235/80R17 120/117R 10PLY	.191265	.6.0-7.5	6.5	31.8	9.3	7.1	14.8		17	656			
LT225/75R17 116/113R 10PLY	.224150	.6.0-7.5	6	30.6	9.8	6.4	14.3	10.2	17	681	.43		
LT245/70R17 108/104Q 6PLY	.192234	.6.5-8.0	7.5	30.6	10.2	7.9			16		.39	GM Silverado, Sierra, Tahoe, Yukon	
LT245/70R17 119/116R 10PLY	.200173	.6.5-8.0	7	30.8	9.8	7.9	13.6	11.3	17	717	.41		
OUTLINE WHITE LETTER													
LT265/75R16 123/120R 10PLY	.196858	.7.0-8.0	7.5	31.9	10.5	8	14.8	12.2	18	654	.44		
LT245/75R17 121/118R 10PLY	.205222	.6.5-7.5	7	31.5	9.8	6.4	14.7	11.3	17	661	.42		
LT265/70R17 121/118R 10PLY	.200190	.7.0-8.5	8	31.9	10.7	8.6	14.2	12.4	17	659	.46		
LT275/70R18 125/122R 10PLY	.205205												
LT275/65R18 123/120S 10PLY	.200207	.7.5-9.0	8	32.1	10.9	8.3	14.9	12.8	17	651	.52		

- Features UNI-T Technology for Outstanding Wet Performance and a Smooth Quiet Ride.
- Modern All-Season Highway Tread Design.
- Polyester and Steel Light Truck Construction with Full Spiral-Wrap Nylon Cap Ply.
- Continuous shoulder ribs for reduced irregular wear and increased tread life.
- Mud and Snow rated.
- Buy & Try 30 Day Guarantee. (Commercial Service Excluded).

ORIGINAL EQUIPMENT

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	Limited Mileage Warranty	UTQG	OE FITMENT	PRICE
FIREHAWK GTA 02														
P195/55R16 86H	75884	5.5-7.0	6	24.4	7.9	6.9	11.3	10	854	20			Nissan Sentra	\$
P215/55R16 91H	99236	6.0-7.5	7	25.3	8.9	7.2	11.6	10	823	23			Saturn LS	
P215/50R16 89V	61409	6.0-7.5	7	24.5	8.9	7.2	11.3	10	850	20			Ford Cougar	
P265/55R17 105H	92088	7.5-9.5	8.5	28.5	10.9	10.4	13	10	731	31			Nissan Frontier	
GTA 03														
P215/50R17 90T	43563	6.0-7.5	7	25.5	8.9	7.8	11.8	10	817	25		300 AA	Chevrolet HHR	
P215/55R18 94T	43495	6.0-7.5	7	27.4	8.8	6.4	12.6	10	761	27		300 AA	GM	
AFFINITY T-4														
P215/60R17 95T	43716												Dodge Caliber Jeep Compass	
AFFINITY-S4														
P195/65R15 89S	61923	5.5-7.0	6	25	7.2	5.7	11.4	10	833	20	65,000	560 A B		
P215/55R16 91S	43580	6.0-7.5	7	25.3	8.9	7.2	11.6	12	823	24	50,000	500 A B	Chevrolet HHR	
FR710														
P215/55R17 93S	66105	6.0-7.5	7	26.4	8.8	7	12.1	10	789	23	65,000	560 A B		
FR690														
P185/65R15 86H	89672	5.0-6.5	5.5	24.5	7.4	5.5	11.2	10	850	18		440 A B	Honda Civic	
P215/65R16 96T	58115	6.0-7.5	6.5	27	8.6	6.4	12.3	10	779	24		440 A B	Chrysler Sebring Dodge Avenger	
FIREHAWK PV41														
P225/60R16 97V	67911	6.0-8.0	6.5	26.6	9	7.5	12.1	11	784	27		340 A	Ford Crown Victoria	

ORIGINAL EQUIPMENT

Light Truck

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	OE FITMENT	PRICE
WILDERNESS LE OUTLINE WHITE LETTER												
P265/70R16 111S	74810							12		40	Tahoe, Yukon	\$
DESTINATION LE BLACKWALL												
P215/70R15 97S	30439	5.5-7.0	6.5	26.9	8.7	6.4	12.1	10	774		Toyota Tacoma	
P235/65R16 101S	65068							10		30	Saturn Vue, Chevy Equinox Pontiac Torrent Suzuki XL7	
P235/60R17 100H	112379	6.5-8.5	7	28.3	9.3	7.8	12.9	11	736	28	Saturn Vue, Chevy Equinox Pontiac Torrent Suzuki XL7	
P265/65R18 112S	90177	7.5-9.5	8	31.7	10.5	8.7	14.3	11	657	41	Chevy Silverado GMC Sierra	
P245/60R18 104S	108248							11		33	Chevy Trailblazer GMC Envoy	
OUTLINE WHITE LETTER												
P265/65R18 112S	90279	7.5-9.5	8	31.7	10.5	8.7	14.3	11	657	41	Chevy Silverado GMC Sierra	
DESTINATION AT BLACKWALL												
P235/75R16 106S	112192	6.0-8.0	6.5	30	9.1	7.2	13.4	13	694	34	Chevy Colorado GMC Canyon	
TRANSFORCE AT BLACKWALL												
LT245/70R17 108/104Q 6PLY	192234	6.5-8.0	7.5	30.6	10.2	7.9		16		39	GM Silverado, Sierra Tahoe, Yukon	

visit us at:



TDWONLINE.NET

OPEN 24 HRS / 7 DAYS A WEEK