

FIRESTONE

FIREHAWK WIDE OVAL


Ultra High Performance



UTQG 320 AA A

GOLD PLEDGE LIMITED WARRANTY

- UNIT-T Technology.
- Silica-Based Tread Compound for Excellent Wet and Dry traction.
- Directional Tread pattern.
- H, W and Y speed rating.
- Buy and Try 30 Day Guarantee.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL											
P225/60R16 97W	27498	6.0-8.0	6.5	26.6	8.9	7.3	12.1	10	783	27	\$
P205/55R16 89W	27549	5.5-7.5	6.5	24.9	8.4	6.6	11.5	10	837	23	
P225/55R16 94W	27600	6.0-8.0	7	25.7	9.1	7.2	11.8	10	807	26	
205/50R16 87W	27651	5.5-7.5	6.5	24.1	8.4	6.6	11.1	10	864	22	
P225/50R16 91W	27702	6.0-8.0	7	24.8	9.1	7.2	11.5	10	837	24	
P245/50R16 96W	28705	7.0-8.5	7.5	25.6	9.8	7.9	11.8	10	811	28	
235/50R17 96W	27736	6.5-8.5	7.5	26.3	9.6	7.6	12.1	10	792	27	
215/45R17 87W	27770	7.0-8.0	7	24.7	8.5	7.5	11.5	10	843	23	
245/45R17 95W	27821	7.5-9.0	8	25.7	9.6	8.6	12	10	798	27	
P255/45R17 92W	27838	8.0-9.5	8.5	26.1	10.1	8.9	12	10	798	28	
205/40R17 XL 84W	70933	7.0-8.0	7.5	23.5	8.5	7	11	10	886	20	
265/40R17 96W	27923	9.0-10.0	9.5	25.4	10.8	9.1	11.7	10	823	27	
P275/40R17 98W	27940	9.0-11.0	9.5	25.7	11	9.5	11.9	10	811	28	
P285/40R17 100W	27974	9.5-11.0	10	26	11.5	9.9	11.9	10	811	30	
225/40R18 88W	27991	7.5-9.0	8	25.1	9.1	7.8	11.8	10	830	24	
295/35R18 99W	28025	10.0-12.0	10	26.1	11.9	10.1	12.2	10	792	32	
245/40R20 99W XL	87763	8.0-9.5	8.5	27.7	9.8	8.5	13	10	752	29	
275/35R20 98W	53168	9.0-11.0	9.5	27.6	11.1	9.5	12.9	10	755	31	
HIGH PERFORMANCE											
P255/45R19 100H	57384	8.0-9.5	8.5	28	10.1	8.9	13	10	757	31	
P295/40R20 106H	57418	10.0-12.0	10	29.3	11.7	10.2	13.6	10	725	33	
RUN FLAT											
P245/40R18 88Y	57333	8.0-9.5	8.5	25.7	9.6	8.2	12	10	811	30	
P285/35R19 90Y	57367	9.5-11.0	10	26.7	12.5	8	12.5	10	793	39	

WIDE OVAL INDY 500

Ultra High Performance



UTQG 320 A A

- FOCUS**
- Wet/Dry Traction.
 - Smooth Wear.
 - Competitive.



Tire Size	Code #	Rim Range	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
195/55R15 STD 85W	136-757	5.5-7.0	6.0	23.4	7.9	10.7	9	889	20	\$
205/55R15 STD 88W	136-774	5.5-7.5	6.5	23.9	8.4	10.9	9	872	21	
205/55R16 STD 91W	136-842	5.5-7.5	6.5	24.9	8.4	11.4	9	837	25	
215/55R16 STD 93W	136-876	6.0-7.5	7.0	25.3	8.9	11.6	9	824	27	
225/55R16 STD 95W	136-893	6.0-8.0	7.0	25.8	9.2	11.7	9	809	24	
205/50R16 STD 87W	136-910	5.5-7.5	6.5	24.1	8.4	11.1	9	865	21	
225/50R16 STD 92W	136-927	6.0-8.0	7.0	24.9	9.2	11.4	9	837	24	
245/50R16 STD 97W	136-944	7.0-8.5	7.5	25.7	10.0	11.7	10	812	26	
205/45R16 STD 83W	136-961	6.5-7.5	7.0	23.2	8.1	10.8	9	897	23	
225/55R17 STD 97W	136-978	6.0-8.0	7.0	26.8	9.2	12.2	9	778	26	
235/55R17 STD 99W	136-995	6.5-8.5	7.5	27.2	9.7	12.4	10	767	27	
205/50R17 XL 93W	137-012	5.5-7.5	6.5	25.1	8.4	11.6	9	829	26	
215/50R17 XL 95W	137-029	6.0-7.5	7.0	25.5	8.9	11.8	9	817	24	
225/50R17 STD 94W	137-046	6.0-8.0	7.0	25.9	9.2	11.9	9	804	24	
215/45R17 XL 91W	137-063	7.0-8.0	7.0	24.7	8.4	11.4	9	845	22	
225/45R17 XL 94W	137-080	7.0-8.5	7.5	25.0	8.9	11.6	9	835	27	
235/45R17 XL 97W	137-097	7.5-9.0	8.0	25.4	9.3	11.7	10	822	24	
145/45R17 STD 95W	137-114	7.5-9.0	8.0	25.7	9.6	11.8	10	812	28	
245/45R17 STD 95W	137-131	8.0-9.5	8.5	26.1	10.0	12.0	10	799	26	
205/40R17 XL 84W	137-148	7.0-8.0	7.5	23.5	8.4	11.0	9	888	20	
245/40R17 STD 91W	137-182	8.0-9.5	8.5	24.7	9.8	11.5	10	843	27	
275/40R17 STD 98W	137-216	9.0-11.0	9.5	25.7	10.9	11.8	10	812	28	
235/50R18 STD 97W	137-250	6.5-8.5	7.5	27.3	9.7	12.6	10	764	27	
225/45R18 STD 91W	137-267	7.0-8.5	7.5	25.9	8.9	12.0	9	803	24	
245/45R18 XL 100W	137-284	7.5-9.0	8.0	26.7	9.6	12.3	10	782	27	
255/45R18 STD 99W	137-301	8.0-9.5	8.5	27.1	10.0	12.5	10	770	27	
225/40R18 XL 92W	137-335	7.5-9.0	8.0	25.1	9.1	11.7	9	831	22	
235/40R18 XL 95W	137-352	8.0-9.5	8.5	25.4	9.5	11.8	10	820	25	
245/40R18 XL 97W	137-369	8.0-9.5	8.5	25.7	9.8	12.0	10	810	23	
275/40R18 STD 99W	137-386	9.0-11.0	9.5	26.7	10.9	12.3	10	782	30	
275/35R18 STD 95W	137-420	9.0-11.0	9.5	25.6	10.9	11.9	10	815	37	
245/50R19 STD 101W	137-437	7.0-8.5	7.5	28.7	10.0	13.2	10	726	30	
235/35R19 XL 91W	137-471	8.0-9.5	8.5	25.5	9.5	12.0	10	818	25	
245/35R19 XL 93W	137-488	8.0-9.5	8.5	25.8	9.8	12.1	10	808	37	
285/35R19 STD 99W	137-505	9.5-11.0	10.0	26.9	11.4	12.5	10	775	31	
245/45R20 STD 99W	137-522	7.5-9.0	8.0	28.7	9.6	13.3	10	727	30	
255/45R20 STD 99W	137-556	8.0-9.5	8.5	29.1	10.0	13.5	10	717	35	
245/40R20 XL 99W	137-573	8.0-9.5	8.5	27.7	9.8	13.0	10	751	24	
255/35R20 XL 97W	137-590	8.5-10	9.0	27.0	10.2	12.7	10	771	35	
275/35R20 XL 102W	137-607	9.0-11.0	9.5	27.6	10.9	12.9	10	756	39	

FIREHAWK SZ50 EP RFT

Ultra High Performance



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P245/45ZR17 89Y*	80489	7.5-9.0	8	25.7	9.6	7.4	11.9	10	811	29	\$
P275/40ZR18 94Y**	80470	9.0-11.0	9.5	26.7	10.9	8.6	12.3	10	783	34	

- Extended performance compound.
- Specially Engineered to travel up to 50 Miles at 55 MPH with complete loss of air.

UTQG 340 AA A*
UTQG 340 AA**

GOLD PLEDGE LIMITED WARRANTY



PRECISION SPORT

Ultra High Performance



UTQG 400 AA

30-DAY BUY & TRY 40,000 MILE WARRANTY

- All Season.
- Value line - Priced against General Altimax and Yokohama Avid H45.
- Non Directional.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
185/60R14 STD 82H	137-913	5.0-6.5	5.5	22.8	7.4	7.4	10.4	11	915	19	\$
185/65R15 STD 88H	137-930	5.0-6.5	5.5	24.5	7.4	7.4	11.1	11	852	22	
195/65R15 STD 91H	137-947	5.5-7.0	6.0	25.0	7.9	7.9	11.3	11	833	23	
205/65R15 STD 94H	137-964	5.5-7.5	6.0	25.5	8.2	8.2	11.5	11	818	24	
215/65R15 STD 96H	137-981	6.0-7.5	6.5	26.0	8.7	8.7	11.7	11	801	26	
195/60R15 STD 88H	137-998	5.5-7.0	6.0	24.2	7.9	7.9	11.0	11	860	21	
205/60R15 STD 91H	138-015	5.5-7.5	6.0	24.7	8.2	8.2	11.2	11	844	24	
215/60R15 STD 94H	138-032	6.0-7.5	6.5	25.2	8.7	8.7	11.4	11	828	25	
205/60R16 STD 92H	138-049	5.5-7.5	6.0	25.7	8.2	8.2	11.7	11	812	27	
215/60R16 STD 95H	138-066	6.0-7.5	6.5	26.1	8.7	8.7	11.9	11	797	28	
225/60R16 STD 98H	138-083	6.0-8.0	6.5	26.6	9.0	9.0	12.1	11	783	28	
205/55R16 STD 91H	138-100	5.5-7.5	6.5	24.9	8.4	8.4	11.4	11	837	23	
215/55R16 STD 93H	138-117	6.0-7.5	7.0	25.3	8.9	8.9	11.6	11	824	25	
225/55R16 STD 95H	138-151	6.0-8.0	7.0	25.8	9.2	9.2	11.7	11	809	28	
205/50R16 STD 87H	138-168	5.5-7.5	6.5	24.1	8.4	8.4	11.1	11	865	22	
215/50R17 XL 95H	138-202	6.0-7.5	7.0	25.5	8.9	8.9	11.8	11	817	27	
235/45R17 STD 94H	138-219	7.5-9.0	8.0	25.4	9.3	9.3	11.7	11	822	25	

PRECISION TOURING

Ultra High Performance



UTQG 560 A B

30-DAY BUY & TRY 70,000 MILE WARRANTY

NON DIRECTIONAL TREAD PATTERN
S, T, H RATED

- All Season-Silica Compound.
- FOCUS**
- Quiet Comfortable Ride.
- Long Wear.
- Low Rolling Resistance-improved fuel economy.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P205/70R15 95T	140650	6.0-8.0	6.5	26.6	9.0	12.1	11	783	25	
P215/70R15 97S	140684	5.5-7.0	6.0	24.4	7.9	11.2	11	853	25	
P195/65R15 89T	140599	5.5-7.0	6.0	25.0	7.9	11.3	11	833	20	
P205/65R15 92T	140633	5.5-7.5	6.0	25.5	8.2	11.5	11	818	22	
P195/60R15 87T	140582	5.5-7.0	6.0	24.2	7.9	11.0	11	860	20	
P205/60R15 90T	140616	6.0-7.5	7.0	25.3	8.9	11.6	11	824	25	
P215/60R15 93T	140667	6.0-8.0	6.5	25.8	9.0	12.9	11	731	28	
215/65R16 98T	140735	6.0-7.5	6.5	27.0	8.7	12.2	11	771	26	
P205/60R16 91H	140854	5.5-7.5	6.0	25.7	8.2	11.7	11	812	23	
P215/60R16 94T	140718	6.0-7.5	6.5	26.1	8.7	11.9	11	797	25	
P225/60R16 97T	140752	6.0-8.0	6.5	26.6	9.0	12.1	11	783	25	
195/55R16 87H	140939	6.0-7.5	7.0	26.3	8.9	12.1	11	792	22	
P205/55R16 89T	140701	5.5-7.5	6.5	24.9	8.4	11.4	11	837	21	
215/55R16 93H	140820	6.0-8.0	7.0	26.8	9.2	12.2	11	778	26	
P225/65R17 100T	140922	5.5-7.5	6.5	24.9	8.4	11.4	11	837	21	
P225/60R17 98H	140786	6.0-8.0	6.5	27.6	9.0	12.6	11	754	25	
235/60R17 102T	140905	6.5-8.5	7.0	28.1	9.5	12.8	11	741	30	
P215/55R17 93T	140888	6.5-8.5	7.5	27.2	9.7	12.4	11	767	29	
P225/55R17 95T	140769	6.0-8.0	7.0	26.8	9.2	12.2	11	778	26	
P235/55R17 98H	140803	6.5-8.5	7.5	27.2	9.7	12.4	11	767	29	

FIREHAWK GT

High Performance



UTQG 460 A A (H, V) RATED
UTQG 400 AA A (W) RATED

50,000 Mile Treadwear Limited Warranty (H,V) Rated

40,000 Mile Treadwear Limited Warranty (W) Rated

GOLD PLEDGE LIMITED WARRANTY



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P195/60R14 85H	94954	5.5-7.0	6	23.2	7.9	6.9	10.8	11	898	23	\$
P185/65R15 86H	76713	5.0-6.5	5.5	24.5	7.4	6.6	11.4	11	853	22	
P195/65R15 89H	76730	5.5-7.0	6	25	7.9	6.9	11.7	11	834	23	
P205/65R15 92H	76747	5.5-7.5	6	25.5	8.2	7.3	11.8	11	815	24	
P195/60R15 87H	76764	5.5-7.0	6	24.2	7.9	6.9	11.3	11	861	22	
P205/60R15 90H	76781	5.5-7.5	6	24.7	8.2	7.2	11.5	11	844	24	
P215/60R15 93H	76798	6.0-7.5	6.5	25.1	8.7	7.6	11.7	11	829	25	
P215/65R16 98H	76900	6.0-7.5	6.5	27	8.7	7.6	12.6	11	772	27	
P205/60R16 91H	76866	5.5-7.5	6	25.7	8.2	7.2	12	11	809	26	
P205/60R16 91V	76934	5.5-7.5	6	25.7	8.2	7.2	12	11	809	26	
P215/60R16 94V	76985	6.0-7.5	6.5	26.1	8.7	7.6	12.2	11	796	27	
P225/60R16 97H	76815	6.0-8.0	6.5	26.6	9	8	12.4	12	783	29	
205/55R16 91H	76832	5.5-7.5	6.5	24.9	8.4	7.4	11.7	11	838	25	
205/55R16 91V	77002	5.5-7.5	6.5	24.9	8.4	7.4	11.7	11	838	25	
215/55R16 93H	76883	6.0-7.5	7	25.3	8.9	7.8	11.8	11	820	26	
225/55R16 95H	76849	6.0-8.0	7	25.8	9.2	8.2	12	12	807	28	
205/50R16 87V	76951	5.5-7.5	6.5	24.1	8.4	7.4	11.4	11	865	24	
225/50R16 92V	77019	6.0-8.0	7	24.9	9.2	8.2	11.7	12	838	27	
215/55R17 94V	77087	6.0-7.5	7	26.3	8.9	7.8	12.4	11	792	27	
225/55R17 97V	77104	6.0-8.0	7	26.8	9.2	8.2	12.6	12	778	29	
P235/55R17 98W	77427	6.5-8.5	7.5	27.2	9.5	8	12.6	11	792	29	
215/50R17 95W XL	77444	6.0-7.5	7	25.5	8.8	7.3	11.7	11	829	26	
225/50R17 94V	76968	6.0-8.0	7	25.9	9.2	8.2	12.2	12	803	28	
245/45R17 95W	77478	7.5-9.0	8	25.7	9.4	8.1	11.7	11	792	27	
P225/60R18 99H	76917	6.0-8.0	6.5	28.6	9	8	13.4	12	727	31	
225/50R18 95W	77223	5.5-7.5	6.5	24.9	8.4	7.4	11.7	11	838	25	
235/50R18 97W	77495	6.5-8.5	7.5	27.3	9.5	8	12.6	11	792	29	
245/45R18 100W XL	77512	7.5-9.0	8	26.7	9.4	8.1	11.7	11	792	27	
245/40R19 XL 98W	121389	8.0-9.5	8.5	26.7	9.6	8.1	12.5	11	780	32	
245/45R20 99W	100054	7.5-9.0	8	28.7	9.6	8.1	13.4	11	726	32	
255/45R20 101W	109693	8.0-9.5	8.5	29.1	10	8.4	13.5	11	716	34	
245/35R20	121372	8.0-9.5	8.5	26.8	9.8	0	12.6	11	778	27	

- Designed for high performance cars.
- Veri-pitch helps reduce noise.
- UNIT-T technology handles wet and dry roads.
- Wider construction improves cornering.
- Buy & Try 30 Day Guarantee.

FIREHAWK GT V

High Performance



UTQG 460 A A (H, V) RATED
UTQG 400 AA A (W) RATED

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
185/55R15 82V	126695										\$

50,000 Mile Treadwear Limited Warranty (H,V) Rated
40,000 Mile Treadwear Limited Warranty (W) Rated
GOLD PLEDGE LIMITED WARRANTY

- Designed for high performance cars.
- Veri-pitch helps reduce noise.
- UNIT-T technology handles wet and dry roads.
- Wider construction improves cornering.
- Buy & Try 30 Day Guarantee.



FIREHAWK GT Z

High Performance



UTQG 460 A A (H, V) RATED
UTQG 400 AA A (W) RATED

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
215/45R17 91W XL	100037										\$
245/40R19 98W XL	121389										
245/35R20 95W XL	121372										
245/40R20 99W XL	100088										
245/45R20 99W	100054		8	28.7	9.6		13.4	11		.32	
255/45R20 101W	109693		8.5	29.1	10		13.5	11		.32	

50,000 Mile Treadwear Limited Warranty (H,V) Rated
40,000 Mile Treadwear Limited Warranty (W) Rated
GOLD PLEDGE LIMITED WARRANTY

- Designed for high performance cars.
- Veri-pitch helps reduce noise.
- UNIT-T technology handles wet and dry roads.
- Wider construction improves cornering.
- Buy & Try 30 Day Guarantee.



FIREHAWK INDY 500

Performance



UTQG 500 A B

55,000 Mile Treadwear Limited Warranty

GOLD PLEDGE LIMITED WARRANTY

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
RAISED WHITE LETTER											
P215/70R14 96S	119520	5.5-7.0	6.5	25.9	8.7	7	11.6	11	804	24	\$
P225/70R14 98S	118664	6.0-7.5	6.5	26.5	9	7.4	11.8	12	786	25	
P215/70R15 97S	119660	5.5-7.0	6.5	26.9	8.7	7	12.1	11	774	24	
P225/70R15 100S	119679	6.0-7.5	6.5	27.4	9	7.4	12.3	12	760	27	
P235/70R15 102S	118656	6.0-8.0	7	28	9.5	7.7	12.5	12	744	28	
P255/70R15 108S	118648	6.5-8.5	7.5	29.1	10.2	8.3	12.9	12	716	34	
P215/65R15 95S	118133	6.0-7.5	6.5	26	8.7	7	11.8	11	801	23	
P235/60R15 98S	119741	6.5-8.5	7	26.1	9.5	7.7	11.8	11	798	26	
P255/60R15 102S	119768	7.0-9.0	7.5	27.1	10.2	8.3	12.2	12	769	30	
P275/60R15 107S	118125	7.5-9.5	8	28	11	9	12.5	12	744	35	
P295/50R15 105S	36389	8.0-10.0	9.5	26.7	12.2	9.9	12	12	780	35	

- UNIT-T Technology for enhanced wet performance.
- All Season performance.
- 5-Rib design on sizes P225 and larger.
- Buy & Try 30 Day Guarantee.



FR710

Mass Market



UTQG 560 A B

65,000 Mile Treadwear Limited Warranty

GOLD PLEDGE LIMITED WARRANTY

- Unit-T technology.
- Quiet comfortable ride.
- Wide footprint for excellent traction.
- All-Season Performance.
- Buy & Try 30 Day Guarantee.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL											
P175/65R14 86T	85808	5.0-6.5	5.5	24.5	7.4	5.8	11.2	11	850	19	\$
P185/65R14 85T	85825	5.0-6.5	5.5	23.5	7.5	5.8	10.7	11	886	17	
P185/65R15 86T	85842	5.0-6.5	5.5	24.5	7.4	5.8	11.2	11	850	19	
P195/65R15 89T	85893	5.5-7.0	6	25	7.2	5.7	11.4	10	833	20	
P205/65R15 92T	85910	5.5-7.5	6	25.5	8.2	6.5	11.2	11	815	20	
P215/65R15 95T	85927	6.0-7.5	6.5	26	8.7	6.8	11.8	11	801	21	
P185/60R15 84T	70355	5.0-6.5	5.5	23.7	7.4	6	10.9	11	879	21	
P195/60R15 87H	124670	5.5-7.0	6	24.2	7.9	6.3	11.1	11	861	19	
P215/65R16 98T	48136	6.0-7.5	6.5	27	8.7	6.8	11.9	11	768	25	
P235/65R16	124687	6.5-8.5	7	28	9.5	0	12.6	12	743	27	
P205/60R16 91H	124653							11		29	
P215/60R16 94T	85961	6.0-7.5	6.5	26.1	8.7	6.9	11.7	11	801	23	
P225/60R16 97T	85859	6.0-8.0	6.5					11		28	
P235/60R16 99T	70372	6.5-8.5	7	27.1	9.5	7.6	12.3	11	769	28	
P205/55R16 89T	85876	5.5-7.5	6.5					11			
P205/50R16 86H	124738	5.5-7.5	6.5	24.1	8.7	6.8	11.1	11	864	26	
NEW P225/65R17 100T	138253										
P215/65R17 98T	70389	6.0-7.5	6.5	28	8.7	6.8	12.8	11	744	26	
P215/60R17	124721	6.0-7.5	6.5	27.2	8.7	0	12.4	11	767	28	
NEW P225/60R17 98H	84856	6.0-8.0	7.5	29.1	10.2	7.3	12.3	11	714	27	
NEW P235/60R17 100T	79042										
P215/55R17 93S	66105	6.0-7.5	7	26.4	8.8	7	12.1	10	789	23	
P225/55R17 95T	84873	6.0-8.0	7	26.8	9.2	7.4	12	11	778	25	
P235/55R17 98H	84890	6.5-8.5	7.5	27.2	9.7	7.8	12.1	11	767	29	
P225/50R17 93T	124755	6.0-8.0	7	25.9	9.2	7.8	12	11	804	23	
WHITE STRIPE											
P205/70R15 95S	47150	5.0-7.0	6	26.3	8.2	6.3	11.6	11	788	22	
P215/70R15 97S	47167	5.5-7.0	6.5	26.9	8.7	6.6	11.8	11	772	23	

FR380

Mass Market



UTQG 400 A B

55,000 Mile Treadwear Limited Warranty

GOLD PLEDGE LIMITED WARRANTY

- All-Season tread design.
- Buy & Try 30 Day Guarantee.

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
WHITE STRIPE											
P155/80R13 79S	97624	4.0-5.0	4.5	22.8	6.2	3.9	10.3	9	914	13	
P165/80R13 83S	97659	4.0-5.5	4.5	23.4	6.5	4.2	10.5	9	890	14	
P175/80R13 86S	97756	4.5-6.0	5	24	7	4.5	10.7	10	868	15	
P185/80R13 90S	97969	4.5-6.0	5	24.7	7.2	4.8	11	10	843	16	
P185/75R14 89S	97942	4.5-6.0	5	25	7.2	4.8	11.2	10	833	17	
P195/75R14 92S	98000	5.0-6.5	5.5	25.5	7.7	5	11.4	10	817	19	
P205/75R14 95S	98043	5.0-7.0	5.5	26.1	8	5.3	11.6	10	798	19	
P215/75R14 98S	98167	5.5-7.0	6	26.7	8.5	5.6	11.9	10	780	21	
P205/70R14 93S	148155	5.0-7.0	6	25.4	8.2	5.6	11.4	10	820	18	
P215/70R14 96S	98078	5.5-7.0	6.5	25.9	8.7	5.8	11.6	10	804	20	
P205/75R15 97S	98051	5.0-7.0	5.5	27.1	8	5.3	11.8	10	769	21	
P215/75R15 100S	98329	5.5-7.0	6	27.7	8.5	5.6	12.4	10	752	23	
P225/75R15 102S	98353	6.0-7.5	6	28.3	8.8	5.8	12.6	10	736	24	
P235/75R15 105S	98361	6.0-8.0	6.5	28.9	9.3	6.1	12.8	10	721	27	
P205/70R15 95S	98035	5.0-7.0	6	26.3	8.2	5.6	11.8	10	792	19	
P215/70R15 97S	98116	5.5-7.0	6.5	26.9	8.7	5.8	12.1	10	774	22	
BLACKWALL											
P175/70R13 82S	97705	4.5-6.0	5	22.7	7	4.8	10.2	10	918	14	
185/70R13 85S	148087	4.5-6.0	5.5	23.2	7.4	5	10.4	10	898	15	
P175/70R14 84S	97713	4.5-6.0	5	23.7	7	4.8	10.7	10	879	15	
185/70R14 87S	148104	4.5-6.0	5.5	24.3	7.4	5	11	10	857	16	
195/70R14 90S	148138	5.0-6.5	6	24.8	7.9	5.3	11.1	10	840	17	
175/65R14 81S	148189	5.0-6.0	5	23	7	5.3	10.5	10	906	15	
185/65R14 85S	148206	5.0-6.5	5.5	23.5	7.4	5.6	10.7	10	886	16	
P195/65R15 89S	61940	5.5-7.0	6	25	7.9	5.8	11.4	11	833	18	
P205/65R15 92S	98019	5.5-7.5	6	25.5	8.2	5.8	11.6	10	817	18	
P215/65R15 95S	61957	6.0-7.5	6.5	26	8.7	6.4	11.7	11	801	22	
215/65R16 98T	61974	6.0-7.5	6.5	27	8.7	6.3	12.3	11	772	24	
P215/60R16 94S	61991	6.0-7.5	6.5	26.1	8.7	6.5	11.9	11	798	23	
P225/60R16 97S	62008	6.0-8.0	6.5	26.6	9	6.8	12.1	12	783	24	

FIREHAWK GT PURSUIT

Police Pursuit



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P235/55R17 98W*	77325	6.5-8.5	7	27.2	27.2	9.7		.11		.33	..\$
P225/60R18 99V**	77342	6.0-8.0	6.5	28.6	9	8		.11		.33	..\$

- All-Season tread design.
- Specifically constructed and compounded for Police Pursuit and High Speed Emergency Vehicle use.

UTQG 340 AA A*
UTQG 340 A**

FIREHAWK PV41

Police Pursuit



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P255/70R15 100V*	67938	6.0-7.5	6.5	27.4	9	7.5	12.3	.11	.760	.28	..\$
P225/60R16 97V**	67911	6.0-8.0	6.5	26.6	9	7.5	12.1	.11	.784	.27	..\$

- All-Season tread design.
- Specifically constructed and compounded for Police Pursuit and High Speed Emergency Vehicle use.

UTQG 340 A A*
UTQG 340 A**

FIREHAWK PVS

Winter Police Pursuit



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
P225/60R16 97V	98388	6.0-8.0	6.5	26.8	9.1	7.5	12.1	.11	.777	.29	..\$
P235/55R17 98V	77359	6.5-8.5	7	27.3	9.5	7.9		.11	.766	.30	..\$
P225/60R18 99V	77376	6.0-8.0	6.5	28.6	9	7.4		.11	.728	.32	..\$

- V-Speed rated construction.
- Specifically constructed and compounded for Police Pursuit and High Speed Emergency Vehicle use.
- Meets the severe snow service requirements of the Rubber Manufacturers Association.

DESTINATION ST

Light Truck



**40,000 Mile Warranty
LIMITED WARRANTY**

- All Season Sport Tire.
- Asymmetrical.



Tire Size	Code #	Rim Range	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
BLACK WALL										
225/65R17 STD 102H	232-276	6.0-8.0	6.5	28.5	9.0	12.9	.10	.731	.29	..\$
235/65R17 XL 108H	232-293	6.5-8.5	7.0	29.1	9.5	13.1	.10	.717	.33	..\$
235/60R18 XL 107V	232-208	6.5-8.5	7.0	29.1	9.5	13.3	.10	.716	.34	..\$
245/60R18 STD 105H	232-225	7.0-8.5	7.0	29.6	9.8	13.4	.10	.704	.34	..\$
255/60R18 XL 112V	232-259	7.0-9.0	7.5	30.0	10.2	13.6	.10	.694	.32	..\$
235/55R18 STD 100V	232-191	6.5-8.5	7.5	28.2	9.7	12.9	.10	.740	.30	..\$
255/55R18 XL 109V	232-242	7.0-9.0	8.0	29.0	10.4	13.2	.10	.718	.31	..\$
P255/60R19 STD 108H	232-174	7.0-9.0	7.5	31.1	10.2	14.1	.10	.671	.37	..\$
255/55R19 XL 111H	232-157	7.0-9.0	8.0	30.0	10.4	13.7	.10	.693	.38	..\$
255/50R19 XL 107W	232-140	7.0-9.0	8.0	29.1	10.4	13.4	.10	.716	.35	..\$
P275/55R20 STD 111H	232-123	7.5-9.5	8.5	31.9	11.2	14.6	.10	.653	.24	..\$
255/50R20 XL 109V	232-055	7.0-9.0	8.0	30.1	10.4	13.9	.10	.693	.37	..\$
265/50R20 STD 107V	232-072	7.5-9.5	8.5	30.5	10.9	14.0	.10	.684	.40	..\$
275/45R20 XL 110H	232-106	8.5-10.5	9.0	29.8	10.8	13.7	.10	.700	.40	..\$
275/40R20 XL 106W	232-089	9.0-11.0	9.5	28.7	10.9	13.3	.10	.727	.37	..\$
275/45R22 XL 112V	232-021	8.5-10.5	9.0	31.8	10.8	14.7	.10	.656	.42	..\$
P285/45R22 STD 110H	133-782	9.0-11.0	9.5	32.1	11.2	14.9	.11	.649	.44	..\$
305/40R22 XL 114W	232-038	10.0-12.0	11.0	31.6	12.3	14.7	.11	.659	.45	..\$

DESTINATION LE

Light Truck



UTQG 480 A B

GOLD PLEDGE 3 YEAR LIMITED WARRANTY

- Features UNIT-T Technology for outstanding wet performance and a smooth quiet ride.
- S, T, H and S speed rated; Mud and Snow rate.
- Buy & Try 30 Day Guarantee.



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	Limited Mileage Warranty	PRICE
OUTLINE WHITE LETTER													
P225/70R14 98S	147543	6.0-7.5	6.5	26.5	9	6.7	11.8		12	786		60,000	\$
P215/75R15 100S	146914	5.5-7.0	6	27.7	8.5	6.4	12.4		12	752		60,000	
P225/75R15 102S	146931	6.0-7.5	6	28.3	8.8	6.7	12.6		12	736		60,000	
P235/75R15 105S	146965	6.0-8.0	6.5	28.9	9.3	7	12.8		12	721		60,000	
P265/75R15 112S	54341	7.0-9.0	7.5	30.6	10.7	7.9	13.5		13	679	39	60,000	
P225/70R15 100S	146948	6.0-7.5	6.5	27.4	9	6.7	12.3		12	760		60,000	
P235/70R15 102S	146982	6.0-8.0	7	28	9.5	7	12.5		12	744		60,000	
P255/70R15 108S	146829	6.5-8.5	7.5	29.1	10.2	7.6	12.9		13	716		60,000	
P235/75R16 XL 109S	54358	6.0-7.5	6.5	29.8	9.3	7	12.5		12	699	34	60,000	
P245/75R16 109S	147016	6.5-8.0	7	30.5	9.8	7.3	13.6		13	683		60,000	
P265/75R16 114S	147050	7.0-9.0	7.5	31.7	10.5	7.9	14		13	657		60,000	
P225/70R16 101S	147560	6.0-7.5	6.5	28.4	9	6.7	12.8		12	733		60,000	
P235/70R16 XL 107S	54375								12		35		
P245/70R16 106S	123838	6.5-8.0	7	29.5	9.8	7.3	13.2		13	706		60,000	
P255/70R16 109S	147033	6.5-8.5	7.5	30.1	10.2	7.6	13.4		13	692		60,000	
P265/70R16 111S	123846	7.0-9.0	8	30.6	10.7	7.9	13.6		13	681		60,000	
P255/65R16 106S	40877	7.0-9.0	7.5	29.1	10.2	7.6	12.6		13		34	60,000	
P235/70R17 XL 108S	97538	6.0-8.0	7	30	9.5	7	13.5		13	694	36	60,000	
P245/70R17 108S	87389	6.5-8.0	7	30.6	9.8	7.3	13.4		13	673	36	60,000	
P265/70R17 113S	147067	7.0-9.0	8	31.7	10.7	7.9	14.1		13	657		60,000	
P245/65R17 105S	40928	7.0-8.5	7	29.5	9.8	7.3	13.3		13		35	60,000	
P255/65R17 108S	83190	7.0-9.0	7.5	30.2	10.2	8	13.6		13	690	36	60,000	
P265/70R18 114S	66173	7.0-9.0	8	32.6	10.7	7.9	14.6		13	639	44	60,000	
P235/65R18 104T	108792	6.5-8.5	7	30	9.5	7	13.7		12	694	35	60,000	
P265/65R18 112S	90279	7.5-9.5	8	31.7	10.5	8.7	14.3		11	657	41	60,000	
P265/60R18 109T	54409	7.5-9.5	8	30.6	10.7	7.9	13.8		11	683	39	60,000	
P275/60R20 114S	108741	7.5-9.5	8	33	11	8.9	15		13	631	48	60,000	
31X10.50R15/6 LT 109R	158404	7.00-9.00	8.5	30.5	0	8.1	0	0	15	683	41		
LT235/75R15/6 104/101S	158438	6.00-7.00	6.5	28.9	0	7.2	0	10.8	14	721	37		
LT265/75R16/6 112/109S	158710	7.00-8.00	7.5	31.7	0	8.2	0	12.2	15	657	44		
BLACK WALL													
P215/70R15 97S	30439	5.5-7.0	6.5	26.9	8.7	6.4	12.1		10	774		60,000	
P225/75R16 XL 106S	40860	6.5-8.0	7	30.5	9.8	6.7	13.2		12		33	60,000	
P215/70R16 99S	83224	5.5-7.0	6.5	27.9	8.7	6.3	12.3		12	748	28	60,000	
P235/65R16 101S	65068								10		30		
225/65R17 102S	83173	6.0-8.0	6.5	28.4	8.9	6.9	12.9		13	733	31	60,000	
P235/65R17 103T	40911	6.5-8.5	7	29.1	9.8	7	13.3		13		33	60,000	
P265/65R17 110T	54392	7.5-9.5	8	30.6	10.7	7.9	13.8		11	681	37	60,000	
P235/60R17 100H	112379	6.5-8.5	7	28.3	9.3	7.8	12.9		11	736	28	60,000	
P275/60R17 110S	40945	7.5-9.5	8	30	11	8.2			13		37	60,000	
P265/65R18 112S	90177	7.5-9.5	8	31.7	10.5	8.7	14.3		11	657	41	60,000	
P245/60R18 104S	108248								11		33		
P275/55R20 111H	108775	7.5-9.5	8.5	31.9	11.2	9.2	14.6		11	653	44	60,000	
P265/50R20 106V	108809	7.5-9.5	8.5	30.5	10.9	9	14.1		11	683	39	60,000	

DESTINATION A/T

Light Truck



UTQG 460 A B

50,000 Mileage Warranty (P-Metric sizes only)

GOLD PLEDGE 3 YEAR LIMITED WARRANTY

- UNI-T Technology provides outstanding wet performance.
- All-Terrain Aggressive Tread Design with smooth quiet ride.
- Buy & Try 30 Day Guarantee.



Tire Size	Sidewall Styling	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	Limited Mileage Warranty	UTQG	PRICE
OUTLINE WHITE LETTER															
P225/70R14 98S	OWL	26682	6.0-7.5	6.5	26.5	9	6.9	11.7		13	788	25	50,000	460 A B	\$
P205/75R15 97S	OWL	26495	5.5-7.0	5.5	27.1	8	6.3	12		12	769	24	50,000	460 A B	
P215/75R15 100S	OWL	26512	5.5-7.0	6	27.7	8.5	6.6	12.3		13	753	27	50,000	460 A B	
P225/75R15 102S	OWL	26546	6.0-7.5	6	28.3	8.8	6.9	12.5		13	737	28	50,000	460 A B	
P235/75R15 105S	OWL	26563	6.0-8.0	6.5	28.9	9.3	7.2	12.7		13	723	30	50,000	460 A B	
P225/70R15 100S	OWL	26699	6.0-7.5	6.5	27.4	9	6.9	12.2		13	760	27	50,000	460 A B	
P235/70R15 102S	OWL	26716	6.0-8.0	7	28	9.5	7.2	12.4		13	745	29	50,000	460 A B	
P235/75R16 106S	OWL	027379		6.5	29.8	9.3		13.2		13		31	50,000	460 A B	
P245/75R16 109S	OWL	26614	6.5-8.0	7	30.5	9.8	7.5	13.4		13	684	36	50,000	460 A B	
P265/75R16 114S	OWL	26648	7.0-9.0	7.5	31.7	10.5	8.1	13.9		13	659	40	50,000	460 A B	
P235/70R16 104S	OWL	26767	6.0-8.0	7	29	9.5	7.2	12.9		13	720	31	50,000	460 A B	
P245/70R16 106S	OWL	27430	6.5-8.0	7	29.5	9.8	7.5	13.1		13	706	34	50,000	460 A B	
P255/70R16 109S	OWL	26869	6.5-8.5	7.5	30.1	10.2	7.8	13.3		13	693	35	50,000	460 A B	
P265/70R16 111S	OWL	27481	7.0-9.0	8	30.6	10.7	8.1	13.5		13	681	39	50,000	460 A B	
P235/75R17 108S	OWL	54239								13		37	50,000	460 A B	
P245/75R17 110S	OWL	77563	6.5-8.0	7	31.5	9.8	7.5	14.1		13	661	39	50,000	460 A B	
P235/75R16 106S	OWL	108960	6.0-8.0	6.5	29.8	9.3	7.2	13.2		13	699	31	50,000	460 A B	
P235/70R17 XL 108S	OWL	94869								13		36			
P245/70R17 108S	OWL	54273	6.5-8.0	7	30.6	9.8	7.5	13.7		13	681	37	50,000	460 A B	
P255/70R17 110S	OWL	54290	6.5-8.5	7.5	31.1	10.2	7.8	13.9		13	670	43	50,000	460 A B	
P265/70R17 113S	OWL	26784	7.0-9.0	8	31.7	10.7	8.1	14		13	659	39	50,000	460 A B	
P285/70R17 117T	OWL	66139	7.5-9.5	8.5	32.8	11.5	8.7	14.6		11	635		50,000	460 A B	
P235/65R17 103T	OWL	108826	6.5-8.5	7	29.1	9.5	7.2	13.2		10	716	31	50,000	460 A B	
P245/65R17 105S	OWL	40843	7.0-8.5	7	29.5	9.8	7.5	13.2		13	706	34	50,000	460 A B	
P255/65R17 108S	OWL	54307	7.0-9.0	7.5	30.1	10.2	7.8	13.4		13	690	37	50,000	460 A B	
P265/65R17 110T	OWL	66156	7.5-9.5	8	30.6	10.7	8.1	13.7		11	681	38	50,000	460 A B	
P255/70R18 112S	OWL	108843	6.5-8.5	7.5	32.1	10.2	7.8	14.5		13	649	41	50,000	460 A B	
P265/70R18 114S	OWL	77546								12		44			
P275/65R18 114T	OWL	54324	7.5-9.5	8	32.1	11	8.4	14.4		11	649	47	50,000	460 A B	
P265/60R18 109T	OWL	108877	7.5-9.5	8	30.5	10.7	8.3	13.9		11	683	38	50,000	460 A B	
P275/60R20 114S	OWL	108894	7.5-9.5	8	33	11	9.2	15		11	631	46	50,000	460 A B	
P275/55R20 111S	OWL	108911	7.5-9.5	8.5	31.9	11.2	9.3	14.6		11	653	44	50,000	460 A B	
DESTINATION A/T LT															
LT235/75R15/6 104/101R	OWL	184278	6.0-7.0	6.5	28.9	9.									

DESTINATION M/T

Light Truck



GOLD PLEDGE LIMITED WARRANTY

- Designed with UNI-T The ultimate Tire Technology.
- Three full polyester body piles for strength and durability.
- Sidewall lug designed for pulling out of deep ruts.
- Features Rim Guard.
- 23degree Bar Angle for optimum traction and self-cleaning.
- Pinned for #15, #16, #17 studs, depending upon size.
- Buy & Try 30 Day Guarantee.

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth	RPM	Tire Weight	PRICE
OUTLINE WHITE LETTER											
LT235/75R15 104/110Q 6PLY	155470	6.0-7.0	6.5	29.1	9.3	7.3	12.8	18	716	39	
LT265/75R16 123/120Q 10PLY	223589	7.0-8.0	7.5	31.9	10.5	8.2	14.8	19	653	54	
LT285/75R16 126/123Q 10PLY	223572	7.5-9.0	8	33.1	11.3	8.9	15.3	20	629	60	
NEW LT315/75R16 127/124Q 10PLY	232735		8	34.6	12.3		15.9	20	73		
NEW LT305/70R16 124/121Q 10PLY	190262	8.0-9.5	9	32.9	12.5	9.5	14.2	19	633	49	
LT 255/75R17 111/108Q 6PLY	224167		7	32.1	10						
LT245/70R17 119/116Q 10PLY	190279	6.5-8.0	7	30.8	9.7	7.6	13.7	20	681	50	
LT265/70R17 121/118Q 10PLY	190296		8	31.9	10.7		14.1	19		52	
NEW LT285/70R17 121Q 10PLY	232752		8.5	32.8	11.5		15.2	22		61	
NEW LT275/70R18 125/122Q 10PLY	224184		7	33.2	11		15.5	20		57	
30X9.50R15 LT 104Q 6PLY	155594	6.5-8.5	7.5	30	9.5	7.5	13.2	20	695	44	
31X10.50R15 LT 109Q 6PLY	155608	7.0-9.0	8.5	31	10.5	8.3	13.7	20	672	49	
33X12.50R15 LT 108Q 6PLY	155616	8.5-11.0	10	33	12.5	9.9	14.6	22	632	60	
BLACK WALL											
LT215/85R16 115/112Q 10PLY	223606	5.5-7.0	6	30.6	8.5	6.4	14.2	18	681	43	
LT235/85R16 120/116Q 10PLY	155586	6.0-7.0	6.5	32	9.3	6.9	14.1	18	652	48	
LT225/75R16 115/112Q 10PLY	223623	6.0-7.0	6	29.5	8.8	7	13.7	18	706	44	
LT245/75R16 120/116Q 10PLY	155543	6.5-7.5	7	30.7	9.8	7.6	13.6	18	678	48	
LT315/70R17 121Q 10PLY	191469	8.5-10.0	10	34.7	12.7	9.38	16	22	600	63	
LT315/65R18 125/122Q 10PLY	205171	8.0-10.0	10	32.8	11.5	8.9	15.3	20	635	60	
LT325/65R18 127/124Q 10PLY	205188	9.0-12.0	12	34.4	13	10.1	16.1	21	599	70	



TRANSFORCE HT

Light Truck



GOLD PLEDGE LIMITED WARRANTY



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	PRICE
BLACKWALL												
LT235/75R15 104/101R 6PLY	189837	6.0-7.0	6.5	28.9	9.3	7.1	13.5		15	723	33	\$
LT215/85R16 115/112R 10PLY	189701	5.5-7.0	6	30.4	8.5	6.5	14.1		14	686	35	
LT235/85R16 120/116R 10PLY	189718	6.0-7.5	6.5	31.7	9.3	7.1	14.7		14	657	41	
LT225/75R16 115/112R 10PLY	189752	6.0-7.0	6	29.3	8.8	6.8	13.6		14	712	35	
LT245/75R16 120/116R 10PLY	189769	6.5-8.0	6.5	30.5	9.8	7.4	14.1		14	684	39	
LT265/75R16 123/120R 10PLY	189786	7.0-8.0	7.5	31.7	10.5	8	14.7		15	659	44	
8.75R16.5 LT 115/111R 10PLY	189803	6.0-6.75	6.75	29.5	8.75	6.4	13.7		14	708	34	
9.50R16.5 LT 121/117R 10PLY	189820	6.75-8.25	6.75	30.6	9.5	7.3	14.2		15	682	38	
LT235/80R17 120/117R 10PLY	191282	6.0-7.5	6.5	31.8	9.3	7.1	14.8		15	656	41	
LT225/75R17 116/113R 10PLY	224133	6.0-7.5	6	30.3	8.8	6.8	14.2	10.2	14	687		
LT245/70R17 119/116R 10PLY	191316	6.5-8.0	7	30.6	9.8	7.4	14.3		14	683	38	
OUTLINE WHITE LETTER												
LT265/75R16 123/120R 10PLY	207602	7.0-8.0	7.5	31.7	10.5	8	14.7		15	659	44	
LT245/75R17 121/118R 10PLY	207483	6.5-7.5	7	31.5	9.8	6.4		11.3	14		42	
LT265/70R17 121/118R 10PLY	200156	7.0-8.5	8	31.7	10.7	8.6	14.1	12.4	14	657	46	
LT275/70R18 125/122R 10PLY	207500											
LT275/65R18 123/120S 10PLY	207619	7.5-9.0	8	32.1	11	8.3	14.9	12.8	16	651	52	

- Features UNI-T Technology for Outstanding Wet Performance and a Smooth Quiet Ride.
- Modern All-Season Highway Tread Design.
- Polyester and Steel Light Truck Construction with Full Spiral-Wrap Nylon Cap Ply.
- Continuous shoulder ribs for reduced irregular wear and increased tread life.
- Mud and Snow rated.
- Buy & Try 30 Day Guarantee. (Commercial Service Excluded).

TRANSFORCE AT

Light Truck



GOLD PLEDGE LIMITED WARRANTY



Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Min Dual Spacing	Tread Depth	RPM	Tire Weight	OE Fitment	PRICE
BLACKWALL													
LT235/75R15 104/101R 6PLY	189650	6.0-7.0	6.5	29.1	9.3	7.1	13.6	10.8	17	717	33		\$
LT215/85R16 115/112R 10PLY	189565	5.5-7.0	6	30.6	8.5	6.5	14.2	9.9	16	681	36		
LT235/85R16 120/116R 10PLY	189633	6.0-7.5	6.5	32	9.3	7.1	14.8	10.8	17	652	41		
LT225/75R16 115/112R 10PLY	189667	6.0-7.0	6	29.5	8.8	6.8	13.8	10.2	16	706	37		
LT245/75R16 120/116R 10PLY	189582	6.5-8.0	7	30.7	9.8	7.4	14.3	11.3	16	679	40		
LT265/75R16 123/120R 10PLY	189599	7.0-8.0	7.5	31.9	10.5	8	14.8	12.2	15	654	44		
LT235/80R17 120/117R 10PLY	191265	6.0-7.5	6.5	31.8	9.3	7.1	14.8		17	656			
LT225/75R17 116/113R 10PLY	224150	6.0-7.5	6	30.6	9.8	6.4	14.3	10.2	17	681	43		
LT245/70R17 108/104Q 6PLY	192234	6.5-8.0	7.5	30.6	10.2	7.9			16		39	GM Silverado Sierra, Tahoe, Yukon	
LT245/70R17 119/116R 10PLY	200173	6.5-8.0	7	30.8	9.8	7.9	13.6	11.3	17	717	41		
OUTLINE WHITE LETTER													
LT265/75R16 123/120R 10PLY	196858	7.0-8.0	7.5	31.9	10.5	8	14.8	12.2	18	654	44		
LT245/75R17 121/118R 10PLY	205222	6.5-7.5	7	31.5	9.8	6.4	14.7	11.3	17	661	42		
LT265/70R17 121/118R 10PLY	200190	7.0-8.5	8	31.9	10.7	8.6	14.2	12.4	17	659	46		
LT275/70R18 125/122R 10PLY	205205												
LT275/65R18 123/120S 10PLY	200207	7.5-9.0	8	32.1	10.9	8.3	14.9	12.8	17	651	52		

- Features UNI-T Technology for Outstanding Wet Performance and a Smooth Quiet Ride.
- Modern All-Season Highway Tread Design.
- Polyester and Steel Light Truck Construction with Full Spiral-Wrap Nylon Cap Ply.
- Continuous shoulder ribs for reduced irregular wear and increased tread life.
- Mud and Snow rated.
- Buy & Try 30 Day Guarantee. (Commercial Service Excluded).

ORIGINAL EQUIPMENT

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Overall Tread Width	Static Load Radius	Tread Depth	Tire RPM	Weight	Limited Mileage Warranty	UTQG	OE FITMENT	PRICE
FIREHAWK GTA 02														
P195/55R16 86H	75884	5.5-7.0	6	24.4	7.9	6.9	11.3	10	854	20			Nissan Sentra	\$
P215/55R16 91H	99236	6.0-7.5	7	25.3	8.9	7.2	11.6	10	823	23			Saturn LS	
P215/50R16 89V	61409	6.0-7.5	7	24.5	8.9	7.2	11.3	10	850	20			Ford Cougar	
P265/55R17 105H	92088	7.5-9.5	8.5	28.5	10.9	10.4	13	10	731	31			Nissan Frontier	
GTA 03														
P215/50R17 90T	43563	6.0-7.5	7	25.5	8.9	7.8	11.8	10	817	25		.300 A A	Chevrolet HHR	
P215/55R18 94T	43495	6.0-7.5		27.4	8.8	6.4	12.6	10	761	27		.300 A A	GM	
AFFINITY T-4														
P215/60R17 95T	43716												Dodge Caliber Jeep Compass	
AFFINITY-S4														
P195/65R15 89S	61923	5.5-7.0	6	25	7.2	5.7	11.4	10	833	20	65,000	.560 A B		
P215/65R16 91S	43580	6.0-7.5	7	25.3	8.9	7.2	11.6	12	823	24	50,000	.500 A B	Chevrolet HHR	
AFFINITY HP														
P205/65R15 92H	65102	5.5-7.5	6	25.5	8.2	6.3	11.6	12	817	22	60,000	.500 A A	Saturn LS2	
FR710														
P215/55R17 93S	66105	6.0-7.5	7	26.4	8.8	7	12.1	10	789	23	65,000	.560 A B		
FR690														
P185/65R15 86H	89672	5.0-6.5	5.5	24.5	7.4	5.5	11.2	10	850	18		.440 A B	Honda Civic	
P215/65R16 96T	58115	6.0-7.5	6.5	27	8.6	6.4	12.3	10	779	24		.440 A B	Chrysler Sebring Dodge Avenger	
FIREHAWK PV41														
P225/60R16 97V	67911	6.0-8.0	6.5	26.6	9	7.5	12.1	11	784	27		.340 A	Ford Crown Victoria	

ORIGINAL EQUIPMENT

Light Truck

Tire Size	Code #	Approved Rims	Measuring Rim Width	Overall Tire Diameter	Overall Section Width	Overall Tread Width	Static Load Radius	Tread Depth	Tire RPM	Weight	OE Fitment	PRICE
WILDERNESS LE OUTLINE WHITE LETTER												
P265/70R16 111S	74810							12		40	Tahoe, Yukon	\$
DESTINATION LE BLACKWALL												
P215/70R15 97S	30439	5.5-7.0	6.5	26.9	8.7	6.4	12.1	10	774		Toyota Tacoma	
P235/65R16 101S	65068							10		30	Saturn Vue, Chevy Equinox Pontiac Torrent Suzuki XL7	
P235/60R17 100H	112379	6.5-8.5	7	28.3	9.3	7.8	12.9	11	736	28	Saturn Vue, Chevy Equinox Pontiac Torrent Suzuki XL7	
P265/65R18 112S	90177	7.5-9.5	8	31.7	10.5	8.7	14.3	11	657	41	Chevy Silverado GMC Sierra	
P245/60R18 104S	108248							11		33	Chevy Trailblazer GMC Envoy	
OUTLINE WHITE LETTER												
P265/65R18 112S	90279	7.5-9.5	8	31.7	10.5	8.7	14.3	11	657	41	Chevy Silverado GMC Sierra	
DESTINATION AT BLACKWALL												
P235/75R16 106S	112192	6.0-8.0	6.5	30	9.1	7.2	13.4	13	694	34	Chevy Colorado GMC Canyon	
TRANSFORCE AT BLACKWALL												
LT245/70R17 108/104Q 6PLY	192234	6.5-8.0	7.5	30.6	10.2	7.9		16		39	GM Silverado, Sierra Tahoe, Yukon	